**vode**® Adaptive Architectural Lighting Systems

Micro J-Box Kit

For use with Wedge® | 707

Mounts Wedge | 707 rails to surface using Micro J-Box Clip (CS-707-Z2-JB). Aluminum j-box includes two 3/4" NPT holes for conduit. Mount to sturdy blocking. Compatible with 5/8" and 3/4" drywall. Remove plug after mud/texture has been completed.

Technical Support: 707-996-9898 or technicalsupport@vode.com

3/4" NPT Hole

3/4" NPT Hole

1.06"
(27 mm)

1.56"
(40 mm)

3/4" NPT Hole

2.74"
(97 mm)

2.5"
(89 mm)

1.25"
(32 mm)

3/4" NPT Hole

Drywall
Thickness

5/8"

3/4"

1.13"
(29 mm)

1.75"
(44 mm)

PART NUMBER   **JB-707-Z2-AA**

DESCRIPTION   Micro J-Box, System LED 707, ZipTwo & Wedge, clear anodized aluminium

vode® Adaptive Architectural Lighting Systems

Micro J-Box Clip
For use with Wedge® | 707

Mounts Wedge | 707 rails to Micro J-Box (JB-707-Z2-AA).

Technical Support: 707-996-9898 or technicalsupport@vode.com

1.06"
(27 mm)

2.64"
(67 mm)

1.25"
(32 mm)

1.04"
(27 mm)

.4"
(10 mm)

.85"
(22 mm)

.74"
(19 mm)

.24"
(6.1 mm)

PART NUMBER   **CS-707-Z2-JB**

DESCRIPTION   Clip, System LED 707, ZipTwo & Wedge, micro J-Box

Surface Clip

For use with Wedge® | 707

Mounts Wedge | 707 rail to most surfaces. Rails are provided with one clip per 12" (305 mm).

Technical Support: 707-996-9898 or technicalsupport@vode.com

.79"
(20 mm)

1.06"
(27 mm)

.23"
(6 mm)

PART NUMBER   **CS-707-Z2**

DESCRIPTION   Clip, System LED 707, ZipTwo & Wedge

ZipTwo Strut Clip

For use with Wedge® | 707

Mounts Wedge | 707 rail to most 1 ⅝" strut channel with strut clip.

Technical Support: 707-996-9898 or technicalsupport@vode.com

1.38"
(35 mm)

.16"
(4 mm)

.75"
(19 mm)

.64"
(16 mm)

Note:
#10-24 screw

PART NUMBER   **CS-707-Z2-SC**

DESCRIPTION   Clip, System LED 707, ZipTwo & Wedge, strut channel clip